

Tuesday, June 28, 2016 8:59:40 AM

148272

Page 1

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Item Name: Strut Tube

Start Date: 6/17/2016 **Start Qty:** 4.00

4

Cust Item ID:

Required Date: 6/27/2016 **Req'd Qty:** 4.00

4

Customer:

Reference:

DAS

Approvals:

Process Plan: 21
0-90

Date: JUL 04 2016 Tooling:

Date:

Run Start *NR1*

QC:

Date: _____ **SPC (Y/N):** _____

Date:

Stop ***NR2***

110		0.00			DAS 32 9-89
110				6 ✓	
Mill Conv	Memo	0.00			
Conventional Milling Machine	1- CUT AS PER DWG 2- Mill end of tube as per dwg 3- DEBURR AS PER DWG				16-07-14

120 QC6- Inspect dimensions to drawing

120

QC

Quality Control

Memo

130

Identify as per dwg & Stock Location: WARD 0.00

130

Packaging

Packaging

Memo

IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV

6

DAS
38
9-89

JUL 15 2016

6 DAS
6
9-89

JUL 15 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

Work Order ID 148272

Tuesday, June 28, 2016 8:59:40 AM

148272

Page 2

Item ID: 647.7711

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Strut Tube

Start Date: 6/17/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 6/27/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

DAS
21
9-89 JUL 18 2016DAS
21
9-89 JUL 15 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : ☐			

Picklist Print

Tuesday, June 28, 2016 8:59:40 AM

Page 1

Work Order ID: 148272

148272

Parent Item: 647.7711

647 7711

Parent Item Name: Strut Tube

Start Date: 6/17/2016

Required Date: 6/27/2016

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP REV:A 12.11.06 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M4130NT0.500W.083		Purchased		No		110	f	15.5310	1.816	7.646316			DAS
M4130NT0 500W 083									**			18-07-14	32
4130 RD tube .500 x .083W													989

Location

Loc Qty

Loc Code

MAT032

15.5310001

M134001

0.0000001

M134845

15.531

11.02

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

INSPECTION SHEET

Rev	Date	Change	Revised by	Approved
A	15.11.19	New Issue	KJ	
B	16.05.27	Dwg Rev updated	KJ	



APICAL INDUSTRIES, INC.
dba DART AEROSPACE

TRANSACTION CODES (TC):
A-ADD C-CREATE
R-REVISE D-DELETE

ENGINEERING CHANGE NOTICE NO.

05397

SHEET 1 OF 1

DWG NO. 647.7700

REV: A

PREPARED BY

T. CROSS

DATE: 05/02/16

EFFECT ON DWG
☐ INC. ☒ UNINC.

DWG TITLE: STRUT ASSY

APPROVED BY:

ENGR

MFG

QC

EFF:

CURRENT ORDER

REASON: REVISED DIMENSION


ECR:

16-028

ACTION LIST:

1.

SHEET 2, ZONE D4 IS:



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 148272 MLC
16-07-04

DOCUMENTS EFFECTED:

☐ PATTERN

☐ MDL

☐ INSTALL INSTRUC

☐ ICA

☐ BOM

CHANGE CATEGORY

☐ MAJOR

☒ MINOR

DER REVIEW REQUIRED

☐ YES

☒ NO



APICAL INDUSTRIES, INC.
dba DART AEROSPACE

ENGINEERING CHANGE NOTICE NO.

05110

SHEET 1 OF 1

DWG NO. 647.7700

REV: A

PREPARED
BY

A. QUAN

DATE: 08/21/15

EFFECT ON DWG
☐ INC. ☒ UNINC.

DWG TITLE: STRUT ASSY

APPROVED BY:

ENGR

MFG

QC

EFF.

CURRENT ORDER

TRANSACTION CODES (TC):
A-ADD
R-REVISE
C-CREATE
D-DELETE

REASON: REVISED FINISH CALLOUT AS PER ECR 15-209

SHEET 1, NOTES IS:

ACTION: UPDATE MO & WO

NOTES:

- 1 MATERIAL: 4130 STEEL PER AMS-T-6736 .50" OD. .083" WALL THK.
- 2 MATERIAL: 4130 STEEL PER AMS-T-6736 .375" OD. .075" WALL THK.
- 3 MATERIAL: 4130 STEEL PER AMS-T-6736 .324" OD.
- 4 FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N; 1-2 MIL MAX
5. DEBURR AND BREAK ALL SHARP EDGES
6. IDENTIFY IAW MPP-120.
- 7 WELD IAW MIL-STD-2219. TIG WELD WITH FILLER ROD
- 8 FINISH: CAD PLATE IAW QQ-P-416F CLASS I TYPE II
- 9 MASK THREAD PRIOR TO FINISH


F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL/SPECIFICATION
DOCUMENTS EFFECTED: ☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☐ BOM					
CHANGE CATEGORY: ☐ MAJOR ☐ MINOR					
DER REVIEW REQUIRED: ☐ YES ☐ NO					

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

NOTES:


- 1 MATERIAL: 4130 STEEL PER AMS-T-6736, .50" OD, .083" WALL THK.
- 2 MATERIAL: 4130 STEEL PER AMS-T-6736, .375" OD, .075" WALL THK.
- 3 MATERIAL: 4130 STEEL PER AMS-T-6736, .324" OD.
- 4 FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N; 1-2 MIL MAX
- 5 DEBURR AND BREAK ALL SHARP EDGES
- 6 IDENTIFY IAW MPP-120.
- 7 WELD IAW MIL-STD-2219. TIG WELD WITH FILLER ROD
- 8 FINISH: CAD PLATE IAW MIL-C-5541 CLASS 1A
- 9 MASK THREAD PRIOR TO FINISH

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	LAST PROTOTYPE REVISION PR2		N/C
N/C	INITIAL RELEASE	12/02/09	P. BRAVO
A	INCORPORATED ECN 04741	11/13/14	P. BRAVO









UNINCORPORATED ECN(s)

05110, 05397



1			5	647.7714	STRUT TUBE	△	
1	1	1	4	647.7713	STRUT THREAD	△	△
1	1	1	3	647.7712	STRUT TUBE	△	
		1	2	647.7711	STRUT TUBE	△	
		1	1	647.7710	STRUT TUBE	△	
				647.7703	STRUT ASSY		△△
				647.7702	STRUT ASSY		△△
				647.7701	STRUT ASSY		△△
7703	7702	7701	FIND #	PART #	DESCRIPTION	MATL	SPEC.
QTY				PARTS LIST			
NEXT ASSY (S)				ORIGINAL DATE	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300		
647.7300				DRAWN BY			
646.4000				CHECKED BY			
				DRAWING APPROVAL			
				CONTRACT NO.			
				UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 1 PLACE DECIMAL ±.01 2 PLACE DECIMAL ±.005 ANGLES ±.5°	SEE CASE CODE B 07M26	DWG. NO. 647.7700	REV. A
				SCALE: NONE			
				SHEET 1 OF 2			

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



ORIGINAL DATE: 11/03/99
DRAWN BY: CRICLER
J. JACKSON
DRAWING APPROVAL: P. BRAY
CONTRACT NO.
UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
2 PLACE DECIMALS ±.01
3 PLACE DECIMALS ±.005
ANGLES ±.5°

APICAL INDUSTRIES
2608 TEMPLE HEIGHTS DR.
OCEANSIDE, CA. 92056-3512 (760)724-5300
STRUT ASSY
REV. A
SCALE: NONE
SHEET 2 OF 2